DROP IN SHELF AND DRAWER UNIT

MOD DR24-D

INSTALLATION SHEET


NO TOOLS REQ.

For a proper installation please follow step by step the sheet provided in the drawer.



AVALIABLE IN:

- DRY OAK
- -CHERRY
- -ESPRESSO



	HARDWARE PACK		
DESCRIPTION		QTY	DE
SHELF SUPPORT PINS (Place shelf support pins where you desire your drop in shelf and Drawer Unit to be set).		4	CUST
8 mm DOWELS (See figure No.2).		2	To ensur have a s _i pleasa
BACK HOLDOWN SUPPORT (See Figure No.1).		2	assemb unit Pi REAI INSTRU CARE BEF BEGII ASSE

<u>DEAR</u> CUSTOMER:

To ensure that you have a speedy and pleasant time assembling your unit PLEASE READ THE INSTRUCTIONS CAREFULLY BEFORE BEGINNING ASSEMBLY.

If you need assistance, **DO NOT CALL THE STORE**, call us.

Our Customer Service Group is here to help you.

CALL BETWEEN 8:00am to 3:00pm PACIFIC TIME.

Please be sure to follow the construction order in the Assembly Manual and complete each step before you proceed.

Call:

USA:

Plycraft Industries Inc.

2100 E. Slauson Ave. Huntington Park, CA 90255 Email: plycraft@ix.netcom.com

Toll Free Telephone # 1-800 -7659035 Tel # 1-323-587-8101 Fax # 1-323-587-8220.

Page 1.


FOR PROPER INSTALLATION:

Follow **STEP BY STEP** the sheet provided in the drawer.

Figure No.1

NOTE:

Please refer to Figure No.1 so you can locate where the back holdown support pin must be placed.




DRAWER FRONT ALIGNMENT:

If your DRAWER FRONT does not close properly, there is an adjustment inside the drawer box on the back portion of you DRAWER FRONT.

Loosen the middle knob at the center of the front and adjust left or right to line up the drawer front.

(REFER TO PAGE 3)



FOR PROPER INSTALLATION:

Follow **STEP BY STEP** the sheet provided in the drawer.

NOTE:

Please refer to Figure No.2 so you can locate where the dowel pins must be placed.

IMPORTANT:

Dear Custumer, please make sure the two dowels are inserted completely in to the holes to prevent the DRAWER FRONT from coming out.

